



Hyzon

## **Rigid Chassis**

Models and versions

hyzonmotors.com.au



## Vehicle Details

### **Hyzon Rigid Chassis**

#### HYDROGEN ELECTRIC POWERTRAIN

Electric motor power	0 kW continuous, 410kW peak	
Fuel cell power	110 kW Single fuel cell stack	
Electric motor torque	1100 Nm continuous (737 lb-ft), 2400 Nm peak (1770 lb-ft)	
Transmission	4 Speed with PTO options	
High voltage battery energy	55 kWh	
Hydrogen storage	25 kg (typical)	
Storage pressure	350 bar, 35 MPa	
Typical range (application dependent)	200-400 km	

#### **CHASSIS**

Wheelbases from 3750mm - 6200mm		
Continuous hole pattern, 50 mm hole spacing		
Side member height 279mm		
Low chassis height 900mm unladen		
Integrated FUPD bumper		
Ground clearance 195mm front (adjustable)		
Ground clearance 200mm rear (adjustable)		

#### **COLOURS**

White cabin with black chassis

Optional Other cab/chassis colours available

#### SUSPENSION AND AXLES

Front	8,000 kg capacity with 2 x air springs and stabiliser bar	
Rear	2 x 13,000 kg capacity axles with difflocks and 4 air springs per axle	
Height lower and raise feature		

#### WHEELS AND TYRES

Tyre type	295/80R 22.5
Rim	10 stud steel 9.00 x 22.5

#### **BRAKES**

Front and rear disc brakes		
Electronic braking system (EPB)		
Anti-Lock braking system (ABS)		
Electronic stability program (ESP)		
Acceleration skid control (ASR)		
Dual circuit air brake system with air dryer		
Regenerative braking		

#### CAB

Single control option with high roof			
Seating for driver and up to 3 passengers			
Climatic control/AC			
Low cab height for safe entry			
Optional Factory dual control with low roof			
Optional Bus door with high roof			

#### **CAB EXTERIOR**

Ergonomic workplace
Low-entry concept
Panorama glazing
ECE-R29/02 compliant cab
Aluminium space cage
Wide opening doors for ease of entry

#### **VEHICLE SAFETY**

Lane keeping assist

Active brake assist

Rain and light sensor

Optional: Side guard assist, Adaptive cruise control and blind spot camera


#### GVM

4X2	16,000 kg
6x4	26,000 kg
8x4	32,000 kg


#### **CAB DIMENSIONS**

Cab Type	BBC (mm)	Cab height (mm)	Axle to front (mm)
Low roof	2065 mm	2380mm	1880 mm
High Roof	2065 mm	2830 mm	1880 mm







#### 6X4/6X2




8X4



**LOW CAB** 



**HIGH CAB** 



# A new industrial revolution, powered by hydrogen

| Hyzon